

**Form - IV**  
**(See rule 13)**  
**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars	
1	Particulars of the Occupier	: Sri Ramakrishna Hospital
	(i) Name of the authorised person (Occupier or operator of facility)	: Mr. R. Vijaya kumhar, Managing Trustee
	(ii) Name of HCF or CBMWTF	: Techno Therm Industries
	(iii) Address for Correspondence	: 395, Sarojini Naidu Street, Siddhapudur, Coimbatore - 641044.
	(iv) Address of Facility	: 395, Sarojini Naidu Street, Siddhapudur, Coimbatore - 641044.
	(v) Tel. No, Fax. No	: 0422 4500000
	(vi) E-mail ID	: ceo@snrsonstrust.org
	(vii) URL of Website	: www.sriramakrishnahospital.com
	(viii) GPS coordinates of HCF or CBMWTF	:
	(ix) Ownership of HCF or CBMWTF	: Private
	(x) Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	: Authorisation No.: 17 BAC 8277229 valid up to 31.03.2020
	(xi). Status of Consents under Water Act and Air Act	: Valid up to: 31.03.2018
2	Type of Health Care Facility	:
	(i) Bedded Hospital	: No. of Beds: 1009
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:
	(iii) License number and its date of expiry	:
3	Details of CBMWTF	: MOU Enclosed
	(i) Number healthcare facilities covered by CBMWTF	: 1
	(ii) No of beds covered by CBMWTF	:
	(iii) Installed treatment and disposal capacity of CBMWTF	: _____ Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	: 675 Kg per day
	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	: Yellow Category : 92,330 (2019-2020) Red Category : 90,004 PPC : 1,384 Blue Category : 24,770 General Solid Waste :

For SRI RAMAKRISHNA HOSPITAL

  
C V RAMKUMAR  
CHIEF EXECUTIVE


5	Details of the Storage, treatment, transportation, processing and Disposal Facility			
	(i) Details of the on-site storage Facility	: Size :		
		: Capacity :		
	Provision of on-site storage : (cold storage or any other provision)			
Disposal Facilities	Type of Treatment	No. Of Units	Capacity Kg /Day	Quantity treated or disposed in Kg per annum
	Incinerators			
	Plasma Pyrolysis			
	Autoclaves	1	20	1500
	Microwave			
	Hydroclave			
	Shredder			
	Needle tip cutter or destroyer	50	0.050	18
	Sharps encapsulation or concrete pit		-	
	Deep burial pits:			
	Chemical disinfection:	4	2	720
	Any other treatment equipment:			
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	: Red Category (Like plastic, glass etc..)			
(iv) No of vehicles used for collection and transportation of biomedical waste	: 2 Nos			
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity generated	Where disposed	
	Incineration ASH ETP Sludge			
(vi) Name of the Common Bio - Medical Waste Treatment Facility Operator through which wastes are disposed of	:			
(vii) List of member HCF not handed over bio-medical waste.	:			
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period			

7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	Training record enclosed
	(ii) number of personnel trained	
	(iii) number of personnel trained at the time of induction	
	(iv) number of personnel not undergone any training so far	Nil
	(v) whether standard manual for training is available?	Yes
	(vi) any other information)	
8	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	Nil
	(ii) Number of the persons affected	Nil
	(iii) Remedial Action taken (Please attach details if any)	NA
	(iv) Any Fatality occurred, details.	Nil
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NA
	Details of Continuous online emission monitoring systems installed	No
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Nil
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Yes, enclosed
12	Any other relevant information	: (Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from 01.04.2019 to 31.03.2020

Name and Signature of the Head of the Institution.

For SRI RAMAKRISHNA HOSPITAL

  
C.V. RAMKUMAR  
CHIEF EXECUTIVE

Date : 08.06.2020  
Place : Coimbatore